



Exhibit 67-U




41513

M69751-007-001 Tremolite (16.0um x 1.0um)

12/18/2018






41520

M69751-007-002 Tremolite Diffraction @ 50cm

12/18/2018




41519


M69751-007-002 Tremolite (7.6um x 0.9um)

12/18/2018

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751-007		Grid Box #	8645	No. of Grids Counted	2
Analyst:	Mehrdad Motamedi			Length	Width	G.O. Area
Date of Analysis	12/17/2018-12/18/2018		G. O. in microns =	105	105	105
Initial Weight(g)	0.04210			105	105	105
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	30%	G.O.s Counted	100
4	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Str./Asb. Type	Length	Width	Ratio	SAED	EDS
Talc 1	E1-A7	F-Talc	5.2	0.7	7.4	Fibrous talc observed Trace throughout	






41510

M69751-007-Talc 1 Diffraction @ 50cm

12/17/2018



41511

M69751-007-Talc 1 (5.2um x 0.7um)

12/17/2018

Section 6

**MAS, LLC
PLM ANALYSIS**

Proj#-Spl# M69751 - 038ISO **Analyst** Paul Hess **Date** 12/14/2018
ClientName Beasley, Allen, Crow, Methvin, Portis & Miles **ClientSpl** 20180317-04A
Location _____
Type_Mat Talc
Gross Off-white powder **% of Sample** 100
Visual _____

OPTICAL DATA FOR ASBESTOS IDENTIFICATION

Morphology			
Pleochroism			
Refract Index			
Sign^			
Extinction			
Birefringence			
Melt			
Fiber Name			

ASBESTOS MINERALS

EST. VOL. %
NO ASBESTOS OBSERVED

Chrysotile.....
 Amosite.....
 Crocidolite.....
 Tremolite/Actinolite.....
 Anthophyllite.....

OTHER FIBROUS COMPONENTS

Talc -B/Y DS in 1.55

NON FIBROUS COMPONENTS

Opagues
 Talc
 Mineral grains

X
 X
 X

Binder Description

Comments *** Moderate amount fibrous Talc observed. X = Materials detected.

The method detection limit is 1% unless otherwise stated.

**MAS, LLC
PLM ANALYSIS**

Proj#-Spl# M69751-038BL Analyst Paul Hess Date 12/15/2018
 ClientName Beasley, Allen, Crow, Methvin, Portis & Miles ClientSpl 20180317-04A
 Location _____
 Type_Mat Talc
 Gross White debris on slide % of Sample 100
 Visual _____

OPTICAL DATA FOR ASBESTOS IDENTIFICATION

Morphology			
Pleochroism			
Refract Index			
Sign^			
Extinction			
Birefringence			
Melt			
Fiber Name			

ASBESTOS MINERALS

EST. VOL. %
NO ASBESTOS OBSERVED

Chrysotile.....
 Amosite.....
 Crocidolite.....
 Tremolite/Actinolite.....
 Anthophyllite.....

OTHER FIBROUS COMPONENTS

NON FIBROUS COMPONENTS

Opagues
 Talc
 Mineral grains

X
 X
 X

Binder Description _____

 Comments Actinolite/Tremolite cleavage fragmentsparticles observed. X = Materials detected.

The method detection limit is 1% unless otherwise stated.

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751-038		Grid Box #	8645	No. of Grids Counted	2
Analyst:	Mehrdad Motamedi			Length	Width	G. O. Area
Date of Analysis	12/16/18-12/17/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0.04185			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	25%	G.O.s Counted	100
4	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	B5-A1							
NSD	A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							
NSD	G1							
NSD	G2							
NSD	G3							
NSD	G4							
NSD	G5							
NSD	G6							
NSD	G7							
NSD	G8							
NSD	G9							
NSD	G10							
NSD	I1							
NSD	I2							
NSD	I3							
NSD	I4							
NSD	I5							
NSD	I6							
NSD	I7							
NSD	I8							
NSD	I9							
NSD	I10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751-038		Grid Box #	8645	No. of Grids Counted	2
Analyst:	Mehrdad Motamedi			Length	Width	G. O. Area
Date of Analysis	12/16/18-12/17/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0.04185			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	25%	G.O.s Counted	100
4	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	B4-A1							
NSD	A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							
NSD	G1							
NSD	G2							
NSD	G3							
NSD	G4							
NSD	G5							
NSD	G6							
NSD	G7							
NSD	G8							
NSD	G9							
NSD	G10							
NSD	I1							
NSD	I2							
NSD	I3							
NSD	I4							
NSD	I5							
NSD	I6							
NSD	I7							
NSD	I8							
NSD	I9							
NSD	I10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751-038		Grid Box #	8645	No. of Grids Counted	2
Analyst:	Mehrdad Motamedi			Length	Width	G. O. Area
Date of Analysis	12/16/18-12/17/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0.04185			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	25%	G.O.s Counted	100
4	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
--------	--------------	-----------	------------------	--------	-------	-------	------	-----


Org. Sample Wt.	Sample Wt. Post HL Separation	
0.04185	0.04185	g
Percent of Orig. Post Separation	100	(%)


Wt. Of Sample Analyzed	0.00022944	g
Filter size	201.1	mm²
Number of Structures Counted	0	Str.
Structures per Gram of Sample	<4359	Str./g

Detection Limit	4.36E+03	Str./g
Analytical Sensitivity	4.36E+03	Str./g

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751-038		Grid Box #	8645	No. of Grids Counted	2
Analyst:	Mehrdad Motamedi			Length	Width	G.O. Area
Date of Analysis	12/16/18-12/17/2018		G. O. in microns =	105	105	105
Initial Weight(g)	0.04185			105	105	105
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	25%	G.O.s Counted	100
4	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Str./Asb. Type	Length	Width	Ratio	SAED	EDS
Talc 1	B5-C9	F-Talc	3.8	0.5	7.6	Fibrous talc observed Trace throughout	






41506

M69751-038-Talc 1 Diffraction @ 50cm

12/17/2018



41508

M69751-038-Talc 1 (3.8um x 0.5um)

12/17/2018

Section 7

**MAS, LLC
PLM ANALYSIS**

Proj#-Spl# M69751-004ISO **Analyst** Paul Hess **Date** 12/13/2018
ClientName Beasley, Allen, Crow, Methvin, Portis & Miles **ClientSpl** 20180315-040A
Location _____
Type_Mat Talc
Gross Off-white powder **% of Sample** 100
Visual _____

OPTICAL DATA FOR ASBESTOS IDENTIFICATION

Morphology			
Pleochroism			
Refract Index			
Sign^			
Extinction			
Birefringence			
Melt			
Fiber Name			

ASBESTOS MINERALS

EST. VOL. %
NO ASBESTOS OBSERVED

Chrysotile.....
 Amosite.....
 Crocidolite.....
 Tremolite/Actinolite.....
 Anthophyllite.....

OTHER FIBROUS COMPONENTS

Talc -B/Y DS in 1.55

NON FIBROUS COMPONENTS

Opaques

X

Talc

X

Mineral grains

X

Binder Description

Comments *** Moderate amount of fibrous Talc observed. X = Materials detected.

The method detection limit is 1% unless otherwise stated.

**MAS, LLC
PLM ANALYSIS**

Proj#-Spl# M69751 - 004BL Analyst Paul Hess Date 12/14/2018
 ClientName Beasley, Allen, Crow, Methvin, Portis & Miles ClientSpl 20180315-040A
 Location _____
 Type_Mat Talc
 Gross Off-white debris on slide % of Sample 100
 Visual _____

OPTICAL DATA FOR ASBESTOS IDENTIFICATION

Morphology			
Pleochroism			
Refract Index			
Sign^			
Extinction			
Birefringence			
Melt			
Fiber Name			

ASBESTOS MINERALS

EST. VOL. %
NO ASBESTOS OBSERVED

Chrysotile.....
 Amosite.....
 Crocidolite.....
 Tremolite/Actinolite.....
 Anthophyllite.....

OTHER FIBROUS COMPONENTS

Talc -B/Y DS in 1.55

NON FIBROUS COMPONENTS

Opagues
 Talc
 Mineral grains

X
 X
 X

Binder Description _____

Comments *** Trace amount fibrous Talc observed. X = Materials detected.

The method detection limit is 1% unless otherwise stated.

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751-004		Grid Box #	8644	No. of Grids Counted	2
Analyst:	Jose Carrillo			Length	Width	
Date of Analysis	12/14/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0.0421			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	15%	G.O.s Counted	100
1	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	E3-J1							
NSD	J2							
NSD	J3							
NSD	J4							
NSD	J5							
NSD	J6							
NSD	J7							
NSD	J8							
NSD	I1							
NSD	I2							
NSD	I3							
NSD	I4							
NSD	I5							
NSD	I6							
NSD	I7							
NSD	I8							
NSD	H1							
NSD	H2							
NSD	H3							
NSD	H4							
NSD	H5							
NSD	H6							
NSD	H7							
NSD	H8							
NSD	H9							
NSD	H10							
NSD	G1							
NSD	G2							
NSD	G3							
NSD	G4							
NSD	G5							
NSD	G6							
NSD	G7							
NSD	G8							
NSD	G9							
NSD	G10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751-004		Grid Box #	8644	No. of Grids Counted	2
Analyst:	Jose Carrillo			Length	Width	
Date of Analysis	12/14/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0.0421			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	15%	G.O.s Counted	100
1	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	D3-J1							
NSD	J2							
NSD	J3							
NSD	J4							
NSD	J5							
NSD	J6							
NSD	J7							
NSD	J8							
NSD	J9							
NSD	I1							
NSD	I2							
NSD	I3							
NSD	I4							
NSD	I5							
NSD	I6							
NSD	I7							
NSD	I8							
NSD	I9							
NSD	I10							
NSD	H1							
NSD	H2							
NSD	H3							
NSD	H4							
NSD	H5							
NSD	H6							
NSD	H7							
NSD	H8							
NSD	H9							
NSD	H10							
NSD	F1							
NSD	F2							
NSD	F3							
NSD	F4							
NSD	F5							
NSD	F6							
NSD	F7							
NSD	F8							
NSD	F9							
NSD	F10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							
NSD	D10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751-004		Grid Box #	8644	No. of Grids Counted	2
Analyst:	Jose Carrillo			Length	Width	
Date of Analysis	12/14/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0.0421			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	15%	G.O.s Counted	100
1	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
--------	--------------	-----------	------------------	--------	-------	-------	------	-----

Org. Sample Wt.	Sample Wt. Post HL Separation
0.04210	0.04210 g
Percent of Orig. Post Separation	100 (%)

Wt. Of Sample Analyzed	0.00023081 g
Filter size	201.1 mm²
Number of Structures Counted	0 Str.
Structures per Gram of Sample	<4333 Str./g

Detection Limit	4.33E+03	Str./g
Analytical Sensitivity	4.33E+03	Str./g

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751-004		Grid Box #	8644	No. of Grids Counted	2
Analyst:	Jose Carrillo			Length	Width	G.O. Area
Date of Analysis	12/14/2018		G. O. in microns =	105	105	105
Initial Weight(g)	0.04210			105	105	105
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	15%	G.O.s Counted	100
1	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Str./Asb. Type	Length	Width	Ratio	SAED	EDS
Talc #1	D3-J1	Fibrous Talc	2.5	0.46	5.4	Fibrous talc observed Trace throughout	


XT M

Analysis


Author lab
Creation AM
Sample Name Talc

M69751-004-F-Talc #1


kV: 100 Mag: 10000 Takeoff: 1 Live Time(s): 300 Amp Time(μ s): 3.84 Resolution:(eV) 131.8



Lsec: 300.0 95 Cnts 3.600 keV Det: Apollo XLT2 SUTW



M69751-004-F-Talc #1 Diffraction.tif
Diffraction @ 50cm
10:56 12/14/2018



M69751-004-F-Talc #1 Image.tif
(2.5um x 0.46um)
11:03 12/14/2018

Section 8

**MAS, LLC
PLM ANALYSIS**

Proj#-Spl# M69751 - 008ISO Analyst Paul Hess Date 12/13/2018
 ClientName Beasley, Allen, Crow, Methvin, Portis & Miles ClientSpl 20180316-022A
 Location _____
 Type_Mat Talc
 Gross Light tan powder % of Sample 100
 Visual _____

OPTICAL DATA FOR ASBESTOS IDENTIFICATION

Morphology			
Pleochroism			
Refract Index			
Sign^			
Extinction			
Birefringence			
Melt			
Fiber Name			

ASBESTOS MINERALS

EST. VOL. %
NO ASBESTOS OBSERVED

Chrysotile.....
 Amosite.....
 Crocidolite.....
 Tremolite/Actinolite.....
 Anthophyllite.....

OTHER FIBROUS COMPONENTS

Talc -B/Y DS in 1.55

NON FIBROUS COMPONENTS

Opagues
 Talc
 Mineral grains

X
 X
 X

Binder Description

Comments *** Trace amount fibrous Talc observed. X = Materials detected.

The method detection limit is 1% unless otherwise stated.

**MAS, LLC
PLM ANALYSIS**

Proj#-Spl# M69751 - 008BL **Analyst** Paul Hess **Date** 12/14/2018
ClientName Beasley, Allen, Crow, Methvin, Portis & Miles **ClientSpl** 20180316-022A
Location _____
Type_Mat Talc
Gross Tan debris on slide **% of Sample** 100
Visual _____

OPTICAL DATA FOR ASBESTOS IDENTIFICATION

Morphology			
Pleochroism			
Refract Index			
Sign^			
Extinction			
Birefringence			
Melt			
Fiber Name			

ASBESTOS MINERALS

EST. VOL. %
NO ASBESTOS OBSERVED

Chrysotile.....
Amosite.....
Crocidolite.....
Tremolite/Actinolite.....
Anthophyllite.....

OTHER FIBROUS COMPONENTS

NON FIBROUS COMPONENTS

Opaques

Talc

Mineral grains

 X

 X

 X

Binder Description _____

Comments Actinolite/Tremolite cleavage fragments/particles observed. X = Materials detected.

The method detection limit is 1% unless otherwise stated.

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751-008		Grid Box #	8645	No. of Grids Counted	2
Analyst:	Jose Carrillo			Length	Width	G. O. Area
Date of Analysis	12/18/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0.04140			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	30%	G.O.s Counted	100
1	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	A6-J1							
NSD	J2							
NSD	J3							
NSD	J4							
NSD	J5							
NSD	J6							
NSD	J7							
NSD	J8							
NSD	J9							
NSD	J10							
NSD	I1							
NSD	I2							
NSD	I3							
NSD	I4							
NSD	I5							
NSD	I6							
NSD	I7							
NSD	I8							
NSD	I9							
NSD	I10							
NSD	F1							
NSD	F2							
NSD	F3							
NSD	F4							
NSD	F5							
NSD	F6							
NSD	F7							
NSD	F8							
NSD	F9							
NSD	F10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751-008		Grid Box #	8645	No. of Grids Counted	2
Analyst:	Jose Carrillo			Length	Width	G. O. Area
Date of Analysis	12/18/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0.04140			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	30%	G.O.s Counted	100
1	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	B6-J1							
NSD	J2							
NSD	J3							
NSD	J4							
NSD	J5							
NSD	J6							
NSD	J7							
NSD	J8							
NSD	J9							
NSD	J10							
NSD	I1							
NSD	I2							
NSD	I3							
NSD	I4							
NSD	I5							
NSD	I6							
NSD	I7							
NSD	I8							
NSD	I9							
NSD	I10							
NSD	G1							
NSD	G2							
NSD	G3							
NSD	G4							
NSD	G5							
NSD	G6							
NSD	G7							
NSD	G8							
NSD	G9							
NSD	G10							
NSD	F1							
NSD	F2							
NSD	F3							
NSD	F4							
NSD	F5							
NSD	F6							
NSD	F7							
NSD	F8							
NSD	F9							
NSD	F10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751-008		Grid Box #	8645	No. of Grids Counted	2
Analyst:	Jose Carrillo			Length	Width	G. O. Area
Date of Analysis	12/18/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0.04140			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	30%	G.O.s Counted	100
1	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
--------	--------------	-----------	------------------	--------	-------	-------	------	-----

Org. Sample Wt.	Sample Wt. Post HL Separation	
0.04140	0.04140	g
Percent of Orig. Post Separation	100	(%)

Wt. Of Sample Analyzed	0.00022697	g
Filter size	201.1	mm²
Number of Structures Counted	0	Str.
Structures per Gram of Sample	<4406	Str./g

Detection Limit	4.41E+03	Str./g
Analytical Sensitivity	4.41E+03	Str./g

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751-008		Grid Box #	8645	No. of Grids Counted	2
Analyst:	Jose Carrillo			Length	Width	G.O. Area
Date of Analysis	12/18/2018		G. O. in microns =	105	105	105
Initial Weight(g)	0.04140			105	105	105
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	30%	G.O.s Counted	100
1	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Str./Asb. Type	Length	Width	Ratio	SAED	EDS
NSD	A6-J1					No Fibrous Talc Observed	

ATLANTA

Corporate Headquarters
3945 Lakefield Court
Suwanee, GA 30024

(770) 866-3200 FAX (770) 866-3259



**Process Blanks for The Analysis of Johnson & Johnson's
Historical Baby Powder & Shower to Shower Products from the
1960's to the 2000's for Amphibole Asbestos**

William E. Longo, Ph.D

Mark W. Rigler, Ph.D

Materials Analytical Services, LLC

3945 Lakefield Court

Suwanee, GA 30024

January 16, 2019

ATLANTA
Corporate Headquarters
3945 Lakefield Court
Suwanee, GA 30024
(770) 866-3200 FAX (770) 866-3259



**Process Blanks for The Analysis of Johnson &
Johnson's Historical Baby Powder & Shower to
Shower Products from the 1960's to the 2000's for
Amphibole Asbestos**

Blank Sample No.	Date Analyzed	Asbestos Detected	Fibrous Talc Detected
M68503-000 BL1	8/3/2018	NAD	NAD
M68503-000 BL2	10/17/2018	NAD	NAD
M68503-000 BL3	10/19/2018	NAD	NAD
M68503-000 BL4	10/24/2018	NAD	NAD
M68503-000 BL5	10/30/2018	NAD	NAD
M68503-000 BL6	10/31/2018	NAD	NAD
M68503-000 BL7	11/5/2018	NAD	NAD
M69751-000 BL1	12/14/2018	NAD	NAD
M69751-000 BL2	12/14/2018	NAD	NAD
M69751-000 BL3	12/16/2018	NAD	NAD
M69751-000 BL4	12/17/2018	NAD	NAD
M69757-000 BL1	12/14/2018	NAD	NAD

*NAD: No Structures observed

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8623	No. of Grids Counted	2
Analyst:	Jose Carrillo			Length	Width	G. O. Area
Date of Analysis	8/3/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
1	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	A10-A1							
NSD	A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8623	No. of Grids Counted	2
Analyst:	Jose Carrillo			Length	Width	G. O. Area
Date of Analysis	8/3/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
1	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	B10-A1							
NSD	A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8623	No. of Grids Counted	2
Analyst:	Jose Carrillo			Length	Width	G. O. Area
Date of Analysis	8/3/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
1	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
--------	--------------	-----------	------------------	--------	-------	-------	------	-----

Org. Sample Wt.	Sample Wt. Post HL Separation	
0.00000	0.00000	g
Percent of Orig. Post Separation	#DIV/0!	(%)
Wt. Of Sample Analyzed	0.00000000	g
Filter size	201.1	mm²
Number of Structures Counted	0	Str.
Structures per Gram of Sample	#DIV/0!	Str./g

Detection Limit	#DIV/0!	Str./g
Analytical Sensitivity	#DIV/0!	Str./g

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8623	No. of Grids Counted	2
Analyst:	Jose Carrillo			Length	Width	G.O. Area
Date of Analysis	8/3/2018		G. O. in microns =	105	105	105
Initial Weight(g)	0.00000			105	105	105
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
1	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Str./Asb. Type	Length	Width	Ratio	SAED	EDS
NSD	A10-A5					No Fibrous Talc Observed	

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8637	No. of Grids Counted	2
Analyst:	Jose Carrillo			Length	Width	G. O. Area
Date of Analysis	10/17/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
1	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	A7-A1							
NSD	A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8637	No. of Grids Counted	2
Analyst:	Jose Carrillo			Length	Width	G. O. Area
Date of Analysis	10/17/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
1	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	A6-A1							
NSD	A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8637	No. of Grids Counted	2
Analyst:	Jose Carrillo			Length	Width	G. O. Area
Date of Analysis	10/17/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
1	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
--------	--------------	-----------	------------------	--------	-------	-------	------	-----

Org. Sample Wt.	Sample Wt. Post HL Separation
0.00000	0.00000 g
Percent of Orig. Post Separation	#DIV/0! (%)

Wt. Of Sample Analyzed	0.00000000 g
Filter size	201.1 mm ²
Number of Structures Counted	0 Str.
Structures per Gram of Sample	#DIV/0! Str./g

Detection Limit	#DIV/0! Str./g
Analytical Sensitivity	#DIV/0! Str./g

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8637	No. of Grids Counted	2
Analyst:	Jose Carrillo			Length	Width	G.O. Area
Date of Analysis	10/17/2018		G. O. in microns =	105	105	105
Initial Weight(g)	0.00000			105	105	105
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
1	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Str./Asb. Type	Length	Width	Ratio	SAED	EDS
NSD	A7-A8					No Fibrous Talc Observed	

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8631	No. of Grids Counted	2
Analyst:	Elyse Stempinski			Length	Width	G. O. Area
Date of Analysis	10/19/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	A5-A1							
NSD	A2							
NSD	A3							
NSD	A4							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	B3							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C2							
NSD	C5							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E9							
NSD	E10							
NSD	F2							
NSD	F3							
NSD	F4							
NSD	F5							
NSD	F6							
NSD	F7							
NSD	F8							
NSD	G3							
NSD	G4							
NSD	G5							
NSD	G6							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8631	No. of Grids Counted	2
Analyst:	Elyse Stempinski			Length	Width	G. O. Area
Date of Analysis	10/19/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	B5-B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	F1							
NSD	F2							
NSD	F3							
NSD	F4							
NSD	F5							
NSD	F6							
NSD	F7							
NSD	F8							
NSD	F9							
NSD	F10							
NSD	G1							
NSD	G2							
NSD	G3							
NSD	G4							
NSD	G5							
NSD	G7							
NSD	G8							
NSD	G9							
NSD	H1							
NSD	H2							
NSD	H3							
NSD	J8							
NSD	J9							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8631	No. of Grids Counted	2
Analyst:	Elyse Stempinski			Length	Width	G. O. Area
Date of Analysis	10/19/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
--------	--------------	-----------	------------------	--------	-------	-------	------	-----

Org. Sample Wt.	Sample Wt. Post HL Separation
0.00000	0.00000 g
Percent of Orig. Post Separation	#DIV/0! (%)

Wt. Of Sample Analyzed	0.00000000 g
Filter size	201.1 mm ²
Number of Structures Counted	0 Str.
Structures per Gram of Sample	#DIV/0! Str./g

Detection Limit	#DIV/0! Str./g
Analytical Sensitivity	#DIV/0! Str./g

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8631	No. of Grids Counted	2
Analyst:	Elyse Stempinski			Length	Width	G.O. Area
Date of Analysis	10/19/2018		G. O. in microns =	105	105	105
Initial Weight(g)	0.00000			105	105	105
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Str./Asb. Type	Length	Width	Ratio	SAED	EDS
NSD	A5-A1					No Fibrous Talc Observed	

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8638	No. of Grids Counted	2
Analyst:	Anthony Keeton			Length	Width	G. O. Area
Date of Analysis	10/24/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	NA			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	0.5%	G.O.s Counted	100
2	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	D6-A1							
NSD	A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8638	No. of Grids Counted	2
Analyst:	Anthony Keeton			Length	Width	G. O. Area
Date of Analysis	10/24/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	NA			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	0.5%	G.O.s Counted	100
2	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	D7-C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							
NSD	H1							
NSD	H2							
NSD	H3							
NSD	H4							
NSD	H5							
NSD	H6							
NSD	H7							
NSD	H8							
NSD	H9							
NSD	H10							
NSD	I1							
NSD	I2							
NSD	I3							
NSD	I4							
NSD	I5							
NSD	I6							
NSD	I7							
NSD	I8							
NSD	I9							
NSD	I10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8638	No. of Grids Counted	2
Analyst:	Anthony Keeton			Length	Width	G. O. Area
Date of Analysis	10/24/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	NA			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	0.5%	G.O.s Counted	100
2	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
--------	--------------	-----------	------------------	--------	-------	-------	------	-----

Org. Sample Wt.	Sample Wt. Post HL Separation
NA	NA
Percent of Orig. Post Separation	#VALUE!
Wt. Of Sample Analyzed	#VALUE!
Filter size	201.1
Number of Structures Counted	0
Structures per Gram of Sample	#VALUE!

Detection Limit	#VALUE!
Analytical Sensitivity	#VALUE!

TEM Bulk Talc Structure Count Sheet							
Project/ Sample No.	M68503-000		Grid Box #	8638	No. of Grids Counted	2	
Analyst:	Anthony Keeton			Length	Width	G.O. Area	
Date of Analysis	10/24/2018		G. O. in microns =	105	105	105	
Initial Weight(g)	NA			105	105	105	
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025	
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100	
2	Screen Magnification	20 KX	Area Examined mm ²			1.103	

Str. #	Grid Opening	Str./Asb. Type	Length	Width	Ratio	SAED	EDS
NSD	D6-A1					No Fibrous Talc Observed	

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8638	No. of Grids Counted	2
Analyst:	Mehrddad Motamedi			Length	Width	G. O. Area
Date of Analysis	10/30/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
4	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	B4-I1							
NSD	I2							
NSD	I3							
NSD	I4							
NSD	I5							
NSD	I6							
NSD	I7							
NSD	I8							
NSD	I9							
NSD	I10							
NSD	H1							
NSD	H2							
NSD	H3							
NSD	H4							
NSD	H5							
NSD	H6							
NSD	H7							
NSD	H8							
NSD	H9							
NSD	H10							
NSD	G1							
NSD	G2							
NSD	G3							
NSD	G4							
NSD	G5							
NSD	G6							
NSD	G7							
NSD	G8							
NSD	G9							
NSD	G10							
NSD	F1							
NSD	F2							
NSD	F3							
NSD	F4							
NSD	F5							
NSD	F6							
NSD	F7							
NSD	F8							
NSD	F9							
NSD	F10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8638	No. of Grids Counted	2
Analyst:	Mehrdad Motamedi			Length	Width	G. O. Area
Date of Analysis	10/30/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
4	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	B5-C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							
NSD	F1							
NSD	F2							
NSD	F3							
NSD	F4							
NSD	F5							
NSD	F6							
NSD	F7							
NSD	F8							
NSD	F9							
NSD	F10							
NSD	G1							
NSD	G2							
NSD	G3							
NSD	G4							
NSD	G5							
NSD	G6							
NSD	G7							
NSD	G8							
NSD	G9							
NSD	G10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8638	No. of Grids Counted	2
Analyst:	Mehrdad Motamedi			Length	Width	G. O. Area
Date of Analysis	10/30/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
4	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
--------	--------------	-----------	------------------	--------	-------	-------	------	-----

Org. Sample Wt.	Sample Wt. Post HL Separation
0.00000	0.00000 g
Percent of Orig. Post Separation	#DIV/0! (%)
Wt. Of Sample Analyzed	0.00000000 g
Filter size	201.1 mm ²
Number of Structures Counted	0 Str.
Structures per Gram of Sample	#DIV/0! Str./g

Detection Limit	#DIV/0! Str./g
Analytical Sensitivity	#DIV/0! Str./g

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8638	No. of Grids Counted	2
Analyst:	Mehrdad Motamedi			Length	Width	G.O. Area
Date of Analysis	10/30/2018		G. O. in microns =	105	105	105
Initial Weight(g)	0.00000			105	105	105
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
4	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Str./Asb. Type	Length	Width	Ratio	SAED	EDS
NSD	B4-I1					No Fibrous Talc Observed	

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8631	No. of Grids Counted	2
Analyst:	Mehrddad Motamedi			Length	Width	G. O. Area
Date of Analysis	10/31/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
4	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	D5-C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	F1							
NSD	F2							
NSD	F3							
NSD	F4							
NSD	F5							
NSD	F6							
NSD	F7							
NSD	F8							
NSD	F9							
NSD	F10							
NSD	H1							
NSD	H2							
NSD	H3							
NSD	H4							
NSD	H5							
NSD	H6							
NSD	H7							
NSD	H8							
NSD	H9							
NSD	H10							
NSD	I1							
NSD	I2							
NSD	I3							
NSD	I4							
NSD	I5							
NSD	I6							
NSD	I7							
NSD	I8							
NSD	I9							
NSD	I10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8631	No. of Grids Counted	2
Analyst:	Mehrddad Motamedi			Length	Width	G. O. Area
Date of Analysis	10/31/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
4	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	E5-A1							
NSD	A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	F1							
NSD	F2							
NSD	F3							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8631	No. of Grids Counted	2
Analyst:	Mehrdad Motamedi			Length	Width	G. O. Area
Date of Analysis	10/31/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
4	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
--------	--------------	-----------	------------------	--------	-------	-------	------	-----

Org. Sample Wt.	Sample Wt. Post HL Separation	
0.00000	0.00000	g
Percent of Orig. Post Separation	#DIV/0!	(%)
Wt. Of Sample Analyzed	0.00000000	g
Filter size	201.1	mm ²
Number of Structures Counted	0	Str.
Structures per Gram of Sample	#DIV/0!	Str./g

Detection Limit	#DIV/0!	Str./g
Analytical Sensitivity	#DIV/0!	Str./g

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8631	No. of Grids Counted	2
Analyst:	Mehrdad Motamedi			Length	Width	G.O. Area
Date of Analysis	10/31/2018		G. O. in microns =	105	105	105
Initial Weight(g)	0.00000			105	105	105
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
4	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Str./Asb. Type	Length	Width	Ratio	SAED	EDS
NSD	D5-C1					No Fibrous Talc Observed	

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8637	No. of Grids Counted	2
Analyst:	Jose Carrillo			Length	Width	G. O. Area
Date of Analysis	11/5/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
1	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	A5-A1							
NSD	A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8637	No. of Grids Counted	2
Analyst:	Jose Carrillo			Length	Width	G. O. Area
Date of Analysis	11/5/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
1	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	B5-D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							
NSD	F1							
NSD	F2							
NSD	F3							
NSD	F4							
NSD	F5							
NSD	F6							
NSD	F7							
NSD	F8							
NSD	F9							
NSD	F10							
NSD	G1							
NSD	G2							
NSD	G3							
NSD	G4							
NSD	G5							
NSD	G6							
NSD	G7							
NSD	G8							
NSD	G9							
NSD	G10							
NSD	H1							
NSD	H2							
NSD	H3							
NSD	H4							
NSD	H5							
NSD	H6							
NSD	H7							
NSD	H8							
NSD	H9							
NSD	H10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8637	No. of Grids Counted	2
Analyst:	Jose Carrillo			Length	Width	G. O. Area
Date of Analysis	11/5/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
1	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
--------	--------------	-----------	------------------	--------	-------	-------	------	-----

Org. Sample Wt.	Sample Wt.	
	Post HL Separation	
	0.00000	0.00000 g
Percent of Orig. Post Separation	#DIV/0!	(%)
Wt. Of Sample Analyzed	0.00000000 g	
	201.1 mm²	
Number of Structures Counted	0	Str.
Structures per Gram of Sample	#DIV/0!	Str./g

Detection Limit	#DIV/0!	Str./g
Analytical Sensitivity	#DIV/0!	Str./g

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-000		Grid Box #	8637	No. of Grids Counted	2
Analyst:	Jose Carrillo			Length	Width	G.O. Area
Date of Analysis	11/5/2018		G. O. in microns =	105	105	105
Initial Weight(g)	0.00000			105	105	105
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
1	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Str./Asb. Type	Length	Width	Ratio	SAED	EDS
NSD	A5-A4					No Fibrous Talc Observed	

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751 BL1		Grid Box #	8644	No. of Grids Counted	2
Analyst:	Elyse Stempinski		12/14/2018	Length	Width	G. O. Area
Date of Analysis	12/14/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	N/A			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	B5-A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							
NSD	F1							
NSD	F2							
NSD	F3							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751 BL1		Grid Box #	8644	No. of Grids Counted	2
Analyst:	Elyse Stempinski		12/14/2018	Length	Width	G. O. Area
Date of Analysis	12/14/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	N/A			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	B4-A1							
NSD	A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	B10							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751 BL1		Grid Box #	8644	No. of Grids Counted	2
Analyst:	Elyse Stempinski		12/14/2018	Length	Width	G. O. Area
Date of Analysis	12/14/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	N/A			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
--------	--------------	-----------	------------------	--------	-------	-------	------	-----

Org. Sample Wt.	Sample Wt. Post HL Separation
N/A	N/A
Percent of Orig. Post Separation	N/A

Wt. Of Sample Analyzed	N/A
Filter size	201.1
Number of Structures Counted	0
Structures per Gram of Sample	N/A

Detection Limit	N/A
Analytical Sensitivity	N/A

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751 BL1		Grid Box #	8644	No. of Grids Counted	2
Analyst:	Elyse Stempinski			Length	Width	G.O. Area
Date of Analysis	12/14/2018		G. O. in microns =	105	105	105
Initial Weight(g)	N/A			105	105	105
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Str./Asb. Type	Length	Width	Ratio	SAED	EDS
NSD	B5-A2					No Fibrous Talc Observed	

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751 BL2		Grid Box #	8644	No. of Grids Counted	2
Analyst:	Elyse Stempinski		12/14/2018	Length	Width	G. O. Area
Date of Analysis	12/14/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	N/A			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	0%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	A5-A1							
NSD	A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751 BL2		Grid Box #	8644	No. of Grids Counted	2
Analyst:	Elyse Stempinski		12/14/2018	Length	Width	G. O. Area
Date of Analysis	12/14/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	N/A			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	0%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	A4-A1							
NSD	A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751 BL2		Grid Box #	8644	No. of Grids Counted	2
Analyst:	Elyse Stempinski		12/14/2018	Length	Width	G. O. Area
Date of Analysis	12/14/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	N/A			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	0%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
--------	--------------	-----------	------------------	--------	-------	-------	------	-----

Org. Sample Wt.	Sample Wt. Post HL Separation	
N/A	N/A	g
Percent of Orig. Post Separation	N/A	(%)
Wt. Of Sample Analyzed	N/A	g
Filter size	201.1	mm²
Number of Structures Counted	0	Str.
Structures per Gram of Sample	N/A	Str./g

Detection Limit	N/A	Str./g
Analytical Sensitivity	N/A	Str./g

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751 BL2		Grid Box #	8644	No. of Grids Counted	2
Analyst:	Elyse Stempinski			Length	Width	G.O. Area
Date of Analysis	12/14/2018		G. O. in microns =	105	105	105
Initial Weight(g)	N/A			105	105	105
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	0%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Str./Asb. Type	Length	Width	Ratio	SAED	EDS
NSD	A5-A1					No Fibrous Talc Observed	

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751-000		Grid Box #	8645	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	G. O. Area
Date of Analysis	12/16/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	N/A			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	B1-A1							
NSD	A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							
NSD	F1							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751-000		Grid Box #	8645	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	G. O. Area
Date of Analysis	12/16/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	N/A			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	A2-A1							
NSD	A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D10							
NSD	E1							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							
NSD	F1							
NSD	F2							
NSD	F3							
NSD	F4							
NSD	F6							
NSD	F7							
NSD	F8							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751-000		Grid Box #	8645	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	G. O. Area
Date of Analysis	12/16/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	N/A			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
--------	--------------	-----------	------------------	--------	-------	-------	------	-----

Org. Sample Wt.	Sample Wt. Post HL Separation
N/A	N/A
Percent of Orig. Post Separation	N/A

Wt. Of Sample Analyzed	N/A
Filter size	201.1
Number of Structures Counted	N/A
Structures per Gram of Sample	N/A

Detection Limit	N/A
Analytical Sensitivity	N/A

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751-000		Grid Box #	8645	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	G.O. Area
Date of Analysis	12/16/2018		G. O. in microns =	105	105	105
Initial Weight(g)	N/A			105	105	105
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Str./Asb. Type	Length	Width	Ratio	SAED	EDS
NSD	B1-A1					No Fibrous Talc Observed	

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751-000		Grid Box #	8645	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	G. O. Area
Date of Analysis	12/17/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	N/A			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	A7-A1							
NSD	A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751-000		Grid Box #	8645	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	G. O. Area
Date of Analysis	12/17/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	N/A			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	B7-A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	D8							
NSD	C9							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	F1							
NSD	F2							
NSD	F3							
NSD	F4							
NSD	F5							
NSD	F6							
NSD	F7							
NSD	F8							
NSD	F9							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751-000		Grid Box #	8645	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	G. O. Area
Date of Analysis	12/17/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	N/A			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
--------	--------------	-----------	------------------	--------	-------	-------	------	-----

Org. Sample Wt.	Sample Wt. Post HL Separation	
N/A	N/A	g
Percent of Orig. Post Separation	N/A	(%)
Wt. Of Sample Analyzed	N/A	g
Filter size	201.1	mm²
Number of Structures Counted	0	Str.
Structures per Gram of Sample	N/A	Str./g

Detection Limit	N/A	Str./g
Analytical Sensitivity	N/A	Str./g

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69751-000		Grid Box #	8645	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	G.O. Area
Date of Analysis	12/17/2018		G. O. in microns =	105	105	105
Initial Weight(g)	N/A			105	105	105
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Str./Asb. Type	Length	Width	Ratio	SAED	EDS
NSD	A7-A1					No Fibrous Talc Observed	

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69757-BL1		Grid Box #	8344	No. of Grids Counted	2
Analyst:	Anthony Keeton			Length	Width	G. O. Area
Date of Analysis	12/14/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	NA			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	0%	G.O.s Counted	100
2	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	B1-A1							
NSD	A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	G1							
NSD	G2							
NSD	G3							
NSD	G4							
NSD	G5							
NSD	G6							
NSD	G7							
NSD	G8							
NSD	G9							
NSD	G10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69757-BL1		Grid Box #	8344	No. of Grids Counted	2
Analyst:	Anthony Keeton			Length	Width	G. O. Area
Date of Analysis	12/14/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	NA			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	0%	G.O.s Counted	100
2	Screen Magnification	20 KX	Area Examined mm ²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	B2-B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	G1							
NSD	G2							
NSD	G3							
NSD	G4							
NSD	G5							
NSD	G6							
NSD	G7							
NSD	G8							
NSD	G9							
NSD	G10							
NSD	H1							
NSD	H2							
NSD	H3							
NSD	H4							
NSD	H5							
NSD	H6							
NSD	H7							
NSD	H8							
NSD	H9							
NSD	H10							

TEM Bulk Talc Structure Count Sheet

Project/ Sample No.	M69757-BL1		Grid Box #	8344	No. of Grids Counted	2
Analyst:	Anthony Keeton			Length	Width	G. O. Area
Date of Analysis	12/14/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	NA			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	0%	G.O.s Counted	100
2	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
--------	--------------	-----------	---------------	--------	-------	-------	------	-----

	Sample Wt.
Org. Sample Wt.	Post HL Separation

NA	NA	g
Percent of Orig. Post Separation	#VALUE!	(%)

Wt. Of Sample Analyzed	#VALUE!	g
Filter size	201.1	mm ²
Number of Structures Counted	0	Str.
Structures per Gram of Sample	#VALUE!	Str./g

Detection Limit	#VALUE!	Str./g
-----------------	---------	--------

Analytical Sensitivity	#VALUE!	Str./g
-------------------------------	---------	--------

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M69757-BL1		Grid Box #	8344	No. of Grids Counted	2
Analyst:	Anthony Keeton			Length	Width	G.O. Area
Date of Analysis	12/14/2018		G. O. in microns =	105	105	105
Initial Weight(g)	NA			105	105	105
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	0%	G.O.s Counted	100
2	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Str./Asb. Type	Length	Width	Ratio	SAED	EDS
NSD	B1-A1					No Fibrous Talc Observed.	